#### **CUSTOMER ASSISTANCE GUIDE BUILDING PERMIT APPLICATION SUBMITTAL REQUIREMENTS** MANUFACTURED AND INDUSTRIALIZED HOUSING

	•	The followin	all the following informa g is a checklist. You mu our application.		all the sections listed below prior to
		and they hat "Certificate	ve workers' compensation of Insurance" showing p	on, have the contractor or proof of such. If the hom	a contractor to construct your structure, their insurance carrier provide us with a eowner or a contractor without workers' must be completed and notarized.
		the front, sic	showing the proposed du de and rear property line ling on exterior of main e	es; and the height of floor	sions of the structure, distances in feet to surface above grade at highest point on
		Septic perm	it if applicable.	Sewer permit if appli	cable.
		proposed, to Installation s	o include but not limited to shall comply with Title 24 ting detail. Thickness are of masonry units for for e, size, and placement of the pay of the manufacturer's ctrical. Service size mbing. Chanical if applicable. In exit door – 36" x 36" la allation by certified instance.  DECK WHERE REQUIRED Floor joist size, specifical includes the proof of the proo	to the following information I CFR 3285 (see attached and depth below frost line. undation (piers or full found anchorage for the structus specifications and install and location  Inding on exterior (required liter required, please insert anchorage for wood.  16" or center, 24" on center liter depth and grade of wood.	form). (New Homes) dations). ure to the foundation. ation instructions. d). certification number
			<ul> <li>Guardrail height from Spacing of balusters</li> <li>Stairs – Riser height Stairs – Handrail height Handrail grip size – maximum.</li> <li>Width of stairs (36"</li> </ul>	m floor or deck, and/or sta s. (maximum 4"). t and tread depth (riser 8 1 eight (from nose of tread). ( must have a circular cross	¼" max tread 9" min.). (minimum 34", maximum 38") s section of 1 ¼" minimum to 2"
				dation (circle the type you	•
1.	Set on t	full basement		2. Crawl space	3. Piers
			ovide wall R-values)		A. Spacing
		no rage in basen			B. Diameter C. Depth D. Type of skirting
		Completed	building permit application	on.	= 7

MDIA will review plans submitted to determine code compliance. If the minimum submittal requirements are not met, we will ask the applicant to supply additional information. If the minimum requirements are met, the plans will be marked "approved". A building permit will be issued and the applicant will be notified of the inspection fees and when they can pick-up the permit at the Municipal Building. All fees shall be paid prior to the issuance of the permit. Then use the inspection procedures provided to have all of the required inspections performed.

#### INSPECTION PROCEDURES MANUFACTURED AND INDUSTRIALIZED HOUSING

- Building permit must be posted on the site of the work and clearly visible from the road until completion of the project.
- Your approved plans must be available at all times, for inspection. These are the plans that were submitted with your application and were marked "Approved" by the building code official.
- The permit applicant is responsible for scheduling all inspections. If you're using a General Contractor, then she/he should take care of scheduling all the necessary inspections.
- DO NOT schedule an inspection if the work is not ready!!!!
- When scheduling an inspection, you must supply your permit number to the inspector.

## PLEASE GIVE THREE (3) WORKING DAYS ADVANCE NOTICE FOOTING INSPECTION WILL BE GIVEN PRIORITY MIDDLE DEPARTMENT INSPECTION AGENCY, INC.

 Footing inspection – To be done after trenching or forming and prior to placing of concrete.

Inspector, Patrick Duffy

Phone, 1-800-922-6342

2. Foundation inspection – french drain and water proofing if full foundation is installed.

Inspector, Patrick Duffy

Phone, 1-800-922-6342

3. Anchoring of structure to foundation.

Inspector, Patrick Duffy

Phone, 1-800-922-6342

4. Verification of field connected crossovers, structural connections, etc Inspector, Patrick Duffy Phone, 1-800-922-6342

5. Electrical inspection – installation of service from supplier to home. Inspector, Demeco Poindexter Phone, 1-800-608-6342

6. Plumbing connections.

Inspector, Patrick Duffy

Phone, 1-800-922-6342

7. Final inspection – when job is completely finished, prior to occupancy permit and after all other required inspections have been done and approved. Inspections #3, #5, #6 and #7 may be done at the same time. All utilities and fuel systems shall be operational. Provide completed installers certificate and HUD form 309.

Inspector, Patrick Duffy

Phone, 1-800-922-6342

BEFORE DIGGING CALL 811 – SEE ATTACHED BROCHURE

#### HUD Manufactured Home Installation Certification And Verification Report

#### U.S. Department of Housing and Urban Development Office of Manufactured Housing Programs

OMB Approval No. 2502-0578 Expires 07/31/2022

The Manufactured Housing Installation Program Regulations 24 CFR Chapter XX Part 3286 Sections 111 and 411 require the licensed installer certify that the manufactured home has been installed and inspected in accordance with the regulations. The Manufactured Housing Installation Program Regulations 24 CFR Chapter XX Part 3286 Subpart F requires a qualified inspector verify that the manufactured home has been installed in accordance with the requirements of Part 3286 and Part 3285. The information collected here will ensure that the licensed installers and qualified inspectors inspect the minimum elements for compliance. The public record burden for the collection of information is estimated to average 3.5 hours per response including the time to review instructions, search existing data sources, gather and maintain the data needed, and complete and review the collected information. Response to this information is mandatory. This agency may not collect this information, and you are not required to complete this form, unless the form displays a currently valid OMB control number.

Certification Label Number(s)

Manufacturer's Serial Number(s)

Certification Label Number(s) (include all zeros and agency prefix)	Manufacturer's Serial Number(s) (include all letters and numbers)	l como de la como de l	and officer fighter.	
		(Installer Name)	(HUD License No.)	
(Homeowner Name)	(State)	(Inspector Name)	(State)	
(Street Address)	(City) (Zip)	(Street Address)	(Phone)	

#### 1. Initial Inspection

Inspection Item	Inspector Verification		Installer Certification			
Site location with respect to home design and construction	□ Pass	□ Fail	□ N/A	□ Pass	□ Fail	□ N/A
Consideration of site specific conditions	□ Pass	□ Fail	□ N/A	□ Pass	🗆 Fail	o N/A
24 CFR 3285 Subpart C - Site preparation and grading for drainage	□ Pass	o Fail	□ N/A	□ Pass	□ Fail	□ N/A
24 CFR 3285 Subpart D - Foundation construction	□ Pass	D Fail	· □ N/A	□ Pass	□ Fail	□ N/A
24 CFR 3285 Subpart E - Anchorage	□ Pass	□ Fail	□ N/A	□ Pass	□ Fail	D N/A
24 CFR 3285 Subpart F - Optional features (Skirting, etc.)	□ Pass	□ Fail	□ N/A	D Pass	□ Fail	□ N/A
24 CFR 3285 Subpart G - Completion of ductwork, plumbing, and fuel supply systems	□ Pass	□ Fail	□ N/A	□ Pass	□ Fail	□ N/A
24 CFR 3285 Subpart H - Completion of electrical systems	□ Pass	o Fail	□ N/A	D Pass	o Fail	□ N/A
24 CFR 3285 Subpart I - Exterior and interior close-up	□ Pass	□ Fail	o N/A	□ Pass	□ Fail	□ N/A
Completion of operational checks and adjustments	D Pass	□ Fail	o N/A	□ Pass	D Fail	o N/A

#### 2. Reinspection of Home (To be completed and initialed by the inspector)

If the inspector discovers that any item during the Initial Inspection fails to comply with the manufacturer's installation instructions or with an installation design and instructions that have been certified by a professional engineer or registered architect, the installation must be reinspected after the installation is corrected.

Briefly describe the work that did not pass the initial inspection. Upon reinspection, inspector must initial item(s) that are in compliance. Attach additional sheet(s) if necessary.

#### 3. Inspector Verification

I have performed a visual inspection in accordance with 24 CFR § 3286.507, of the manufactured home installation identified above. I have inspected the minimum elements noted above, as required by 24 CFR § 3286.505 and the items above have been installed in accordance with an installation design and instructions that have been provided by the manufacturer and approved by the DAPIA or an installation design and instructions that have been prepared and certified by a professional engineer or registered architect that have been approved by the manufacturer and the DAPIA as providing a level of protection for residents of the home that equals or exceeds the protection provided by the federal installation standards in part 3285 of this chapter. It is a crime to knowingly make false statements in any matter within the jurisdiction of the United States such as the verification statement on this or any similar form. Penalties upon conviction can include a fine and imprisonment. See 18 U.S. Code Section 1001.

Inspector Signature	(Date)

#### 4. Installer Certification


I hereby certify, in accordance with 24 CFR §§ 3286.111 and 3286.411, that the manufactured home identified above has been installed in accordance with an installation design and instructions that have been provided by the manufacturer and approved by the DAPIA or an installation design and instructions that have been prepared and certified by a professional engineer or registered architect that have been approved by the manufacturer and the DAPIA as providing a level of protection for residents of the home that equals or exceeds the protection provided by the federal installation standards in part 3285 of this chapter. It is a crime to knowingly make false statements and/or certifications in any matter within the jurisdiction of the United States such as the certification on this or any similar form. Penalties upon conviction can include a fine and imprisonment. See 18 U.S. Code Section 1001.

Installer Signature	(Date)

**Privacy Statement:** HUD is committed to protecting the privacy of individuals information stored electronically or in paper form in accordance with federal privacy laws, guidance and best practices. HUD expects its third-party business-partners who collect, use maintain, or disseminate HUD information to protect the privacy of that information in accordance with applicable laws.

Distribution: Installer, Retaller, Purchaser





The totlowing innormation is needed when you call PA One Call System.


YOUR TELEPHONE NUMBER YOUR MAILING ADDRESS COUNTY - The name of the county where the work will

take place MUNICIPALITY - City, Township or Borough where the

MANAGE THE ADDRESS WHERE THE WORK WILL TAKE PLACE
THE ADDRESS WHERE THE WORK WILL TAKE PLACE
THE NAME OF A SECOND INTERSECTION NEAR THE
WORK SITE
THE NAME OF A SECOND INTERSECTION NEAR THE
WORK SITE
IS THE PROPOSED EXCAVATION AREA (WORK SITE)
OTHER INFORMATION THAT WOULD HELP THE
LOCATOR FIND THE SITE - Clerifying information to
specify the asset location of the dig
THE TYPE OF WORK BEING DONE
WHETHER THE WORK WILL TAKE PLACE IN. Street,
Sidewalk, Public or Private Property
THE EXTRAT OF THE EXCAVATION - The approximate
size of the opening, the forgith and width or diameter
THE METHOD OF EXCAVATION - How will the earth be

WHO IS THE WORK BEING DONE FOR PERSON TO CONTACT IF THE UTILITIES HAVE QUESTIONS
THE CONTACT PERSON'S PHONE NUMBER - The CONTACT PERSON'S PHONE NUMBER - The THE CONTACT PERSON'S PHONE OF doly fine contact THE BEST THE TO CALL
THE BEST THE TO CALL
THE REST THE TO CALL
AS WINDERS AND THE WAIL ADDRESS - The responses from the facility owners will be sent to you responses from the facility owners will be sent to you scheduled EXCAVATION DATE AND START TIME - not fees than 3 business days or more than 10 business days.

You will be given a 10 digit serial number as confirmation of your call and our system will send you the responses from the utilities on the mornling of your exheduled excavation date via fax or email DURATION OF A JOB - How long will the job take ANY ADDITIONAL REMARKS YOU MAY HAVE



# What do we do?

We are the "Call before you dig!" company for all of Pennsylvania. If you plan to disturb the earth with powered equipment, you are required by Pennsylvania law to notify the underground utility companies of your intent to do so. Notification occurs by calling 8-1-1 or 1-800-242-1776, 24 hours of the day, every day of the year. Notification can also be done on our website at www.paonecall.org.

We will then notify the utility companies nearby of your intent to dig. The utility companies are responsible to mark where their underground lines are located with colored flags, paint or chalk.

## Please Note:

- PA One Call does not mark
- In some cases, the utility company may not mark the
- service lines you own.

  If you need your sewer drain cleared be sure to che www.paonecall.org/crosst for Call Before You Clear information or call B11 for more Information.

# Why should you call?

Safe digging is no accident! If you are installing a fence or deck, or digging for a mailbox post, patio or other excavation project, it is important to Know What's Below. Dial 8-1-1 or 1-800-242-1776 before you dig. The utility companies do not want an accident, either. The best way to learn where underground utility lines are located is to call before you dig.

For more information, visit www.pa811.org



### Homeowner Quick Tips

- One easy phone call to 8-1-1 three to ten business days before digging begins helps keep your neighborhood safe.
- Call on Monday or Tuesday if you plan to dig on Saturday or Sunday.
- The utility companies will mark where their underground lines are located with colored paint, flags or chalk.
- Do not remove the flags if you see them in your yard.
- Our service is no cost to homeowners.
- Did you hire someone to install your fence, deck or new patio? Ask to see the PA One Call serial number before allowing them to dig on your property.

# The Excavator's Responsibility

- Dial 8-1-1 or 1-800-242-1776.
- Do not allow anyone to excavate on your property without calling.

Always look for the markings on

- the ground before your dig date.

  If you do not see markings, do not allow anyone to dig. Wait for the lines to be marked by the utility.
- Whoever places the call will receive an email or fax with a list of facility owners who have marked or have not marked.

  Pay attention to this message.
- Respect the markings by not removing flags or disturbing the actual markings.
- Exercise care around the marked lines by hand digging
- When the project is complete, the excavator should remove the flags or marks from the ground or pavement.
- Report mishaps by dialing 8-1-Report emergencies by dialing 9-1-1.

#### **THIS FORM REQUIRES A NOTARY SEAL**

#### **AFFIDAVIT OF EXEMPTION**

insurance ur		is not required to provide workers compensation sylvania's Workers' Compensation Law for one of the			
	perform any work pursua workers' compensation in	ng own work. If property owner does hire contractor to nt to building permit, contractor must provide proof of insurance to the municipality. Homeowner assumes appliance with this requirement.			
	any individual to perfo	oyees. Contractor prohibited by law from employing rm work pursuant to this building permit unless of insurance to the municipality.			
		er the Workers' Compensation Law. All employees of m workers' compensation insurance (attach copies of for all employees).			
Signature of	Applicant				
	of				
		Subscribed, sworn to and acknowledged before me by the above this Day of			
SEAL					
		Notary Public			